

TRAVELPORT+ MINI FORMAT GUIDE

July 14, 2023



CONTENT

Content	2
Apollo to Travelport+	4
Apollo to Travelport+: Basic functions	4
Apollo to Travelport+: Flights.....	6
Apollo to Travelport+: Booking file.....	13
Apollo to Travelport+: Form of payment	14
Apollo to Travelport+: Review booking file	15
Apollo to Travelport+: Fare display.....	15
Apollo to Travelport+: Pricing	16
Apollo to Travelport+: Queues.....	17
Apollo to Travelport+: Convert currency.....	17
Worldspan to Travelport+	18
Worldspan to Travelport+: Basic functions	18
Worldspan to Travelport+: Flights	20
Worldspan to Travelport+: Booking file.....	26
Worldspan to Travelport+: Review booking file	27
Worldspan to Travelport+: Queues	28
Worldspan to Travelport+: Fare display.....	28
Worldspan to Travelport+: Pricing	29
Worldspan to Travelport+: Ticket/Void	30
Worldspan to Travelport+: Client file/profiles.....	30
Worldspan to Travelport+: Cars	31
Worldspan to Travelport+: Hotels.....	31
Miscellaneous.....	32
Travelport+ and other GDSs	34
Basic functions and encode/decode.....	34
Flights.....	36
PNRs.....	43
Queues.....	52
Profiles	53
Quality Control.....	54



Miscellaneous.....	54
News and information.....	55
Hotels.....	56
Cars.....	60

This mini guide provides you with the most commonly used entries. In Smartpoint many responses can also be retrieved via interactive menus or by clicking.



APOLLO TO TRAVELPORT+

Apollo to Travelport+: Basic functions

This topic describes how to convert Apollo formats to Travelport+ formats for:

- [Security and sign on](#)
- [Information and help](#)
- [Scrolling](#)
- [Encode and decode](#)
- [Timatic](#)
- [Timetable](#)

Security/Sign on

	Apollo	Travelport+
Help entry	HELP SON	H/SON or H/SOF
Sign onto workstation	SON/ZAW	SON/ZAW
Sine off workstation	SOF	SOF
Display all work areas	OP/W*	OP/W*
Switch to work area B	SB	SB

Information and help

	Apollo	Travelport+
Display index of information chapters	HELP	H/ or HELP
Request help for chapter(s) starting with A	HELP A	H/A or HELP A
Request help for a specific topic, enter relevant free text, e.g., FARES	HELP FARES	H/FARES or HELP FARES
Request information for a specific topic, enter relevant free text, e.g., FARES	N/A	N/A
Access My Travelport	https://my.travelport.com	https://my.travelport.com



Scrolling

	Apollo	Travelport+
Help entry	HELP SCROLL	H/SCRO
Move down	MD	MD Note: ALT + C retrieves all information.
Move up	MU	MU
Move bottom	MB	MB
Move top	MT	MT

Encode and decode

	Apollo	Travelport+
Help entry	HELP ENCODE	H/ENCO or H/DECO
City - encode	S*CTY/JERSEY	.CE JERSEY
City - decode	S*CTY/NYC	.CD NYC
Airline - encode	S*AIR/IBERIA	.AE IBERIA
Airline - decode	S*AIR/EI	.AD EI .AD*220
Country - encode	S*COU/FINLAND	.LE FINLAND
Country - decode	S*COU AU	.LD AU
Equipment - encode	HELP FOKKER	.EE FOKKER
Equipment - decode	HELP 744	.ED 744

Timatic

	Apollo	Travelport+
Help entry	HELP TIMATIC	H/TI-
Display TIMATIC menu/index	TI-	TI-
Display the subject template 1, visa information	TI-MV	TI-MV
Display health information	VI-MH	VI-MH
Display visa and health information	VI-MA	VI-MA
Request next page (MD)	TIPN	TIPN



	Apollo	Travelport+
		Note: ALT + C retrieves all information.
Page back (MU)	TIPB	TIPB
Go forward one page (MT)	TIPF	TIPF
Direct format to display health requirements (EM - embarkation)	TI-RH/EMUS/DEIN	TI-RH/EMBRU

Timetable

	Apollo	Travelport+
Help entry	HELP AVAIL-SCHEDULE	H/TIME
View timetable by date and city pair	S/23JANDXBBUH	TT23JANDXBBUH
View timetable with connection	N/A	TT15JANAMSDEL.DXB
Convert availability display to timetable	S/A	TT
Convert timetable to availability display	N/A	A

Apollo to Travelport+: Flights

This topic describes how to convert Apollo formats to Travelport+ formats for:

- [Availability](#)
- [Minimum connect time](#)
- [Sell, change, or cancel flights](#)

Availability

	Apollo	Travelport+
Help entry	HELP AVAIL	H/AVAI
Availability for today	ASTOLON	ASTOLON
Availability for a specific day and time	A21NOVSTOLON1400	A21NOVSTOLON.1400 or A21NOVSTOLON1400



	Apollo	Travelport+
More availability	A* or click <<More Flights>>	A* or click <<More Flights>>
Availability by airline	A23JULFRAROM+LH	A23JULFRAROM/LH
Direct flights only	A15JUNNYCLAX/D	A15JUNNYCLAX.D
Connection point	A20SEPOTPMRS7ACDG+AF	A20SEPOTPMRS.CDG/AF
Direct link to carrier	L#AZ/A23JULROMMIL	A23JULROMMIL*AZ
More from carrier link	L#AZ/A*	AM*AZ

Minimum connect time

	Apollo	Travelport+
Help entry	HELP MCT	H/MCT
Display minimum connecting time	DCTFCO	DCT/FCO
Display MCT exceptions in PDX for domestic flight only	DCTPDX-DD	DCTPDX-DD
Display INT/INT exceptions	DCTNCE-II	DCTNCE-II
INT/INT with connections	DCTAMS*DLKL-II	DCTAMS*DLKL-II
Validate minimum connecting time for the booked itinerary	#MCT	@MCT

Sell, change, and cancel flights

	Apollo	Travelport+
Help entry	HELP SELL	H/0 or H/CHAN or H/CANC
Reference sell flight	01C2	N1C2
Reference sell all flights	03C2Y3	N3C2Y3
Direct sell flights	0AY631C11JULHELARNN N1	0AY631C11JULHELARNNN 1
Sell open segment	0YYOPENY13FEBSTOFR ANO1	0YYOPENYCPHFRANO1
Create ARNK	Y	0A or Y
Change segment status	.1HK	@1HK
Change flight segment 2 to XK (passive cancel)	.2XK	@2XK



	Apollo	Travelport+
Important: Airlines may have exceptions - please check airline info to avoid ADMs.		
Change segment 2 to three passengers	N/A	@2/3
Rebook to F class	X3-5/0F	@3-5/F
Cancel segment 2	X2	X2
Cancel itinerary	XI	XI



Apollo to Travelport+: Booking file/PNR fields

This topic describes how to convert Apollo formats to Travelport+ formats for both [mandatory](#) and [optional](#) booking file fields.

Mandatory fields

- [Name](#)
- [Phone](#)
- [Received from](#)
- [Ticketing](#)

Optional fields

- [Address](#)
- [Contact information](#)
- [Frequent flyer](#)
- [OSI/SSR](#)
- [Ticketing remarks](#)
- [Remarks/Notepad](#)
- [Seat selection](#)

Mandatory fields

Name field

	Apollo	Travelport+
Help entry	HELP NAME	H/N.
Add name field	N:WATKINS/OSCAR MR	N.WATKINS/OSCAR MR
Add child name	N:RYAN/TIM*P-C08 Add SSR: ⌘:3CHLDN2/18MAR15	N.1RYAN/TIM*P-C08 DOB18MAR15 SSR can be added automatically based on system settings. Otherwise add the SSR manually: SI.P2/CHLD*18MAR15
Add infant name	N:I/MITCHELL/JOAN* 02MAR23/P-INF01	N.I/LEE/ANNA*02MAR23 A SSR INFT will be added automatically to the BF. The infant will be related to the first ADT in the booking.



	Apollo	Travelport+
Change name 3 to Reed	C:3N:REED/CMRS	N.P3@REED/CMRS
Delete name 3	C:3N:	N.P3@

Phone field

	Apollo	Travelport+
Help entry	HELP P:	H/P.
Add agency phone	P:HNLAS/808 555-3160	P.FRAT*8866 7755 STAR TRAVEL
Add business phone	P:LONB/0208 675 9989	P.LONB*0208 675 9989
Change phone number	C:2P:MRYB/408 555-5345	P.2@LONB*0207 675 9989
Delete phone	C:2P:	P.2@

Received field

	Apollo	Travelport+
Add received field	R:HARRIS	R.HARRIS/D MR
Delete received field	C:R:	R.@

Ticketing field

	Apollo	Travelport+
Help entry	HELP T:	H/T.
Add ticketing field	T:T/	T.T*
Add ticketing field with date	T:TAU/21DEC	T.TAU/21DEC
Change ticketing field to ticketed	C:T:T/	T.@T*
Delete ticketing field	C:T:	T.@



Optional fields

Address

Mailing written **H/W**.

	Apollo	Travelport+
Help entry	HELP W-	H/ADDR
Add address	W-NAMES#12 OAK ST# PETALUMA CA Z/94954	W.MR LANE*21 OAK RD *LONDON*GB*P/N21 3T
Change address	C:W-2#NEW TEXT	W.@NEW TEXT
Delete address	C:W-	W.@

Contact information

	Apollo	Travelport+
Help entry		H/SI or H/EMAIL
Mobile phone contact	#:3SSR CTCM YY HK2/ N1/5551002890	SI.P1/SSRCTCMYYHK1/ 31648928321
Email address	#:3SSR CTCE YY HK1/ N1/J.SMITH//GMAIL.COM	SI.P1/SSRCTCEMYHK1/ J.SMITH//GMAIL.COM
DOCS complete passport information	#:3SSRDOCSYHK1/N1/P/US/ S12345678/US/12JUL76/M/ 23OCT26/SMITH/JOHN/RICHARD	SI.P1/SSRDOCSBAHK1/P/GB/ S12345678/GB/12JUL76/M/ 23OCT26/SMITH/JOHN/RICHARD Note: a script can be opened via #APIS
Secure Flight Data	#:3SSRDOCSYYHK1/N2 /////21FEB83/M// SHERMAN/ANDREW	SI.P2/SSRDOCSYYHK1 /////21FEB83/M// SHERMAN/ANDREW

Frequent flyer field

	Apollo	Travelport+
Help entry	HELP MP*	H/M.
Add frequent flyer number	MP*UA12346578	M.UA12345678
Delete frequent flyer number	MP/X*UA	M.@



Other Service Information / Special Service Request

	Apollo	Travelport+
Help entry	HELP SSR	H/SI.
Request (SSR) special meal for all passengers and segments	⌘:3VGML	SI.VGML
Request (SSR) wheelchair by segment and passenger	⌘:3WCHR/S5/N1	SI.P1S5/WCHR
Delete SSR request	C:5⌘:3	SI.WCHR@
Add OSI	⌘3OSIYY VIP ROCK STAR	SI.YY*VIP ROCK STAR
Change OSI	C:1⌘3OSIYY VIP SCREEN STAR	SI.1@YY*VIP SCREEN STAR
Change SSR status	C:1⌘:3.HK	SI.S1P1/AVML@HK
Update all status codes		@ALL
Delete OSI	C:⌘:3	SI.1@

Ticketing remarks

	Apollo	Travelport+
Add branch and customer account number	T-CA-01⌘4169701234	DI.AC-AAA.IBM54 or DI.AC-ACCOUNTNAME
Delete the third ticketing remark	C:3T-	DI.3@

Remarks/Notepad

	Apollo	Travelport+
Help entry	HELP ⌘:5	H/NP.
Add remarks	⌘:5TEXT	NP.TEXT
Add remark that will be added to history	⌘:5H⌘TEXT	NP.H**TEXT
Add confidential remark	No equivalent	NP.C**TEXT
Delete remarks	C:1⌘:5	NP.1@
Create associated itinerary remarks for segment 4	RMA4:TEXT	RI.S4*TEXT
Add unassociated itinerary remark	RMU:TEXT	RI.TEXT



Seat selection

	Apollo	Travelport+
Help entry	HELP 9S	H/S. or H/SM
Display seat availability map by segment	Click on Booked Class in PNR or 9V/S3 3= Segment Number	Click on Booked Class in PNR
Cancel all seats	9X	S.@

Apollo to Travelport+: Booking file

This topic describes how to convert Apollo formats to Travelport+ formats for booking file actions:

- [Build a booking file](#)
- [Booking file actions](#), such as end, ignore, retrieve, cancel, display history
- [Divide booking file](#)

Build booking file

	Apollo	Travelport+
Display air availability	A13MAYSTOLON9A	A13MAYSTOLON
Reference sell flight	01Y1	N1Y1
Add name	N:HORN/SAM MR	N.HORN/SAM MR
Add home (residence) phone	P:LONR/0208 675 4578	P.LONH*0208 675 4578
Add ticketing date	T:TAU/21DEC	T.TAU/21DEC
Add received field	R:HARRIS	R.HARRIS/R MR
Agency phone number and MAR transferred data	MVT/+*AGENTS NAME	CM/+AGENTS NAME
End or end and retrieve the record	E (or ET) or ER	E (or ET) or ER

Booking file actions

	Apollo	Travelport+
Help entry	HELP END	H/END
End transact	E	E



	Apollo	Travelport+
End transact and retrieve	ER	ER
Ignore	I	I
Ignore and retrieve as original	IR	IR
Retrieve booking file	*LOCATOR	*LOCATOR
Retrieve booking file by name	** -HARRIS	* -HARRIS
Redisplay booking file	*R	*R
Display history	*H	*H
Repeat all segments	RESALL	RESALL
Repeat all customer data-all segments	REALLSALL	REALLSALL

Divide booking file

	Apollo	Travelport+
Help entry		H/DP
Step 1 Divide passenger 1	DN1	DP1
Step 2 Receive	R:AGT	R.AGT
Step 3 File new PNR	F	F
Step 4 Receive	R:AGT	R.AGT
Step 5 Finish. End or End and retrieve	E or ER	E or ER
Make change after E or ER only. End of process		

Apollo to Travelport+: Form of payment

This topic describes how to convert Apollo formats to Travelport+ formats.

	Apollo	Travelport+
Form of payment cash	F-S	F.S
Form of payment credit card	F- AX373912345678901/D1223	F.AX373912345678901/D1223
Cancel form of payment	C:F-	F.@



Apollo to Travelport+: Review booking file

This topic describes how to convert Apollo formats to Travelport+ formats for review booking file.

	Apollo	Travelport+
Help entry		H/RB.
Add booking file to queue 47 on a specified date with free text.	QMDR-23DEC/47/FREE TEXT	RB.23DEC/Q47*FREE TEXT
Change review date retrieve BF	C:1QMDR-23JUN	RB.@1/22DEC
Delete review	C:1QMDR-	RB.1@

Apollo to Travelport+: Fare display

This topic describes how to convert Apollo formats to Travelport+ formats.

	Apollo	Travelport+
Help entry	HELP \$V HELP TARIFF DISPLAY	H/FD
Display fare by date and specific carrier	\$DHELFR11DEC+AY	FD11DECHELFR/AY
Display fare rules paragraphs by line number	\$V3	FN*3
Display all fare rules by line number	\$V3/ALL	FN*3/ALL
Display rule by line and paragraph	\$V3/16	FN*3/16
Display fare routing and information	\$LR2	FR*2
Display booking code for fare on line 6	\$LB6	FDC*6



Apollo to Travelport+: Pricing

This topic describes how to convert Apollo formats to Travelport+ formats for:

- [Itinerary pricing/fare quote](#)
- [Fare shopping](#)
- [Taxes](#)

Itinerary pricing/fare quote

	Apollo	Travelport+
Help entry	HELP PRICE	H/FQ
Price adult fare, all passengers	\$B	FQ
Price passenger 2	\$BN2	FQP2
Best Buy	\$BB	FQBB
Best buy per cabin	\$BB// π C	FQBB++-BUSNS
Exclude economy unbundled fares	\$BB/FXD	FQBB/FXD
Fully flexible fare	\$BB/PE0	FQBB/PE00
Price child's fare	\$B*CHD	FQ*CHD
Price all segments with fare basis code	\$B π BLAPOW	FQ@BLAPOW
Private Fares only	\$B:P	FQ:P
Best buy for fare with PTC ITX only	\$BB*ITX	FQBB*ITX
Best Buy for fare with account code TO only	\$BB-:TO	FQBB-:TO
View fare quote ladder	*LF2	FQL2
View Fare quote rules	FQN2	FQN2

Fare shopping

	Apollo	Travelport+
Help entry		H/FS
Fare Shopping AMS BKK AMS	FSAMS30SEPBKK15OCTAMS	FSAMS30SEPBKK15OCTAMS

Use Smartpanel for more options.



Taxes

	Apollo	Travelport+
Help entry		H/FTAX or H/TAX
Tax information by country name	\$TAX-FRANCE	FTAX-FRANCE
Tax information by country code	\$TAX-GB	FTAX-GB
Passenger facility charge (PFC) for airport code	\$PFC-MIA	FTAX*PFC-MIA

Apollo to Travelport+: Queues

This topic describes how to convert Apollo formats to Travelport+ formats.

	Apollo	Travelport+
Help entry	HELP QUEUE	H/Q
Display queue count, all queues	QCT/ALL	QCA
Display queue count on specific queue	QC/97	QCB/97
Sign into queue	Q/97	Q/97
Ignore BF and continue to next PNR	I	I
Sign out of queue and ignore	QXI	QXI
Remove BF from queue	QR	QR
Place BF on queue	QEP/99	QEB/99

Apollo to Travelport+: Convert currency

	Apollo	Travelport+
Help entry	HELP CURR	H/FZS
Convert from one currency to another	FZSGBP520SEK	FZSGBP520SEK
Display bank selling rate (BSR) for specified currency	FZSUSD	FZSUSD
Display IATA rate of exchange (ROE)	FZIHKD	FZIHKD



WORLDSPAN TO TRAVELPORT+

Worldspan to Travelport+: Basic functions

This topic describes how to convert Worldspan formats to Travelport+ formats for:

- [Security and sign on](#)
- [Information and help](#)
- [Scrolling](#)
- [Encode and decode](#)
- [Timatic](#)
- [Timetable](#)

Security/Sign on

	Worldspan	Travelport+
Help entry		H/SON or H/SOF
Sign onto workstation	BSI\$5467AB/GS	SON/ZAW
Sine off workstation	BSO\$	SOF
Display all work areas	B\$	OP/W*
Switch to work area B	BB	SB
Emulation	4@EPQ2	SEM/PQ2/AG

Information and help

	Worldspan	Travelport+
Display index of information chapters	HELP	H/ or HELP
Request help for chapter(s) starting with A	HELP A	H/A or HELP A
Request help for a specific topic, enter relevant free text, e.g., FARES	HELP FARES	H/FARES or HELP FARES
Request information for a specific topic, enter relevant free text, e.g., FARES	INFO FARES	N/A
Access My Travelport	https://my.travelport.com	https://my.travelport.com



Scrolling

	Worldspan	Travelport+
Help entry		H/SCRO
Move down	MD	MD Note: ALT + C retrieves all information.
Move up	MU	MU
Move bottom	MB	MB
Move top	MT	MT
Clear all screens	F4	CTRL+S
Clear active screen	F9	CTRL+W
Retrieve last entry	F5	CTRL+UP ARROW
Retrieve last screen response	N/A	ALT+UP ARROW

Encode and decode

	Worldspan	Travelport+
Help entry		H/ENCO or H/DECO
City - encode	KC/JERSEY	.CE JERSEY
City - decode	KD/NYC	.CD NYC
Airline - encode	KAC/IBERIA	.AE IBERIA
Airline - decode	KAD/EI KAD/220	.AD EI .AD*220
Country - encode	4C*FINLAND	.LE FINLAND
Country - decode	4C*A	.LD AU
Equipment - encode	N/A	.EE FOKKER
Equipment - decode	HELP EQP 744	.ED 744

Timatic

	Worldspan	Travelport+
Help entry	HELP TIM	H/TI-
Display TIMATIC menu/index	GT4	TI-
Display the subject template 1, visa information	GT4/1	TI-MV



	Worldspan	Travelport+
Request next page (MD)	TIPN	TIPN Note: ALT + C retrieves all information.
Page back (MU)	TIPB	TIPB

Timetable

	Worldspan	Travelport+
Help entry		H/TIME
View timetable by date and city pair	S23JANDXBBUH	TT23JANDXBBUH
View timetable with connection	S#15JANAMSDEL/DXB	TT15JANAMSDEL.DXB
Convert availability display to timetable	N/A	TT
Convert timetable to availability display	N/A	A

Worldspan to Travelport+: Flights

This topic describes how to convert Worldspan formats to Travelport+ formats for:

- [Availability](#)
- [Minimum connect time](#)
- [Sell, change, or cancel flights](#)

Availability

	Worldspan	Travelport+
Help entry		H/AVAI
Availability for a specific day and time	A21NOVSTOLON2P	A21NOVSTOLON.1400 or A21NOVSTOLON1400
More availability	AD	A* or click <<More Flights>>
Availability by airline	A23JULFRA ROM-LH	A23JULFRAROM/LH
Direct flights only	A15JUNNYCLAX/D	A15JUNNYCLAX.D
Connection point	A20SEPOTPMRS/CDG-AF	A20SEPOTPMRS.CDG/AF



	Worldspan	Travelport+
Direct link to carrier	@AZ@A23JULROMMIL9A	A23JULROMMIL*AZ
More from carrier link	A@AD	AM*AZ
Flight details from availability	V\$2	TTL2

Minimum connect time

	Worldspan	Travelport+
Help entry		H/MCT
Display minimum connecting time	KEC*FCO	DCT/FCO
Display MCT exceptions in PDX for domestic flight only	KEC*PDX*DD	DCTPDX-DD
Display INT/INT exceptions	KEC*NCE*II	DCTNCE-II
INT/INT with connections	KEC*AMS-DL-KL*II	DCTAMS*DLKL-II

Sell, change, and cancel flights

	Worldspan	Travelport+
Help entry		H/0 H/CHAN H/CANC
Reference sell flight	01C2	N1C2
Reference sell all flights	03C2Y3	N3C2Y3
Direct sell flights	0AY631C11JULHELARNNN1	0AY631C11JULHELARNNN1
Sell open segment	0YYOPENYCPHFRAPS1	0YYOPENYCPHFRANO1
Create ARNK	0A or /2/0A	0A or Y
Change segment status	.1HK	@1HK
Change segment 2 to three passengers	N/A	@2/3
Rebook to F class	X3-5#0/F	@3-5/F
Cancel segment 2	X2	X2
Cancel itinerary	XI	XI



Worldspan to Travelport+: Booking file fields

This topic describes how to convert Worldspan formats to Travelport+ formats for both [mandatory](#) and [optional](#) booking file fields.

Mandatory fields

- [Name](#)
- [Phone](#)
- [Received from](#)
- [Ticketing](#)

Optional fields

- [Address](#)
- [Contact information](#)
- [Frequent flyer](#)
- [OSI/SSR](#)
- [Remarks/Notepad](#)
- [Seat selection](#)

Mandatory fields

Name field

	Worldspan	Travelport+
Help entry		H/N.
Add name field	-WATKINS/OSCAR MR	N.WATKINS/OSCAR MR
Add child name	-1RYAN/TIM*C08 Add SSR: 3SAN2.1CHLD/18MAR15	N.1RYAN/TIM*P-C08 DOB18MAR15 SSR can be added automatically based on system settings. Otherwise add the SSR manually: SI.P2/CHLD*18MAR15
Add infant name	-LEE/ANNA*INF Add SSR 3SAN1.1INFT-1.2/02MAR23	N.I/LEE/ANNA*02MAR23 A SSR INFT will be added automatically to the BF. The infant will be related to the first ADT in the booking.
Change name 3 to Reed	-3@REED/CMRS	N.P3@REED/CMRS
Delete name 3	-3@	N.P3@



Phone field

	Worldspan	Travelport+
Help entry		H/P.
Add agency phone	9*DEN3035551234-A	P.FRAT*8866 7755 STAR TRAVEL
Add business phone	9*LON 0208 675 9989B	P.LONB*0208 675 9989
Change phone number	92@*LON 0207 675 9989B	P.2@LONB*0207 675 9989
Delete phone	92@	P.2@

Received field

Note: In both Worldspan and Travelport+, this is now mostly automated.

	Worldspan	Travelport+
Add received field	6JACKIE	R.HARRIS/D MR
Delete received field	6@	R.@

Ticketing field

	Worldspan	Travelport+
Help entry		H/T.
Add ticketing field	7T/	T.T*
Add ticketing field with date	7TAW/00/21DEC	T.TAU/21DEC
Change ticketing field to ticketed	7@T/	T.@T*
Delete ticketing field	7@	T.@

Optional fields

Address

Mailing written **H/W**.

	Worldspan	Travelport+
Help entry		H/ADDR
Add address	5-CB MR LANE 5-CB 21 OAK RD	W.MR LANE*21 OAK RD *LONDON*GB*P/N21 3T



	Worldspan	Travelport+
	5-CB LONDON GB N21 3TL	
Change address	51@-CB NEW TEXT	W.@NEW TEXT
Delete address	5@-CB/ALL	W.@

Contact information

	Worldspan	Travelport+
Help entry		H/SI H/EMAIL
Mobile phone contact	3SSRCTCMYYHK1/ 31648928321-1.1	SI.P1/SSRCTCMYYHK1/ 31648928321
Email address	3SSRCTCEYYHK1/J.SMII// GMAIL.COM-1.1	SI.P1/SSRCTCEMYHK1/ J.SMII//GMAIL.COM
Add "mail to" address	5-MTT*LIAM.HILL@MSN.COM	MT.LIAM.HILL@MSN.COM
Add "mail from" address	N/A	MF.JAMES.ROCK@GMAIL. COM

Frequent flyer field

	Worldspan	Travelport+
Help entry		H/M.
Add frequent flyer number for passenger 1	3SAN1FQTVUA123456789	M.P1/UA123456789
Delete frequent flyer number	31.XX	M.@

Other Service Information / Special Service Request

	Worldspan	Travelport+
Help entry		H/SI.
Request (SSR) special meal for all passengers and segments	3SAVGML	SI.VGML
Request (SSR) wheelchair by segment and passenger	3S5N1WCHR	SI.P1S5/WCHR
Delete SSR request	32.XX	SI.WCHR@
Add OSI	3OSI YY VIP ROCK STAR	SI.YY*VIP ROCK STAR



	Worldspan	Travelport+
Change OSI	31@YY VIP SCREEN STAR	SI.1@YY*VIP SCREEN STAR
Delete OSI	31@	SI.1@

Remarks/Notepad

	Worldspan	Travelport+
Help entry		H/NP.
Add remarks	5 TEXT	NP.TEXT
Add remark that will be added to history	5.Z TEXT They are called Unique remarks and you can find them in the history.	NP.H**TEXT
Add confidential remark	5-CF	NP.C**TEXT
Delete remarks	51@	NP.1@

Seat selection

	Worldspan	Travelport+
Help entry		H/S. H/SM
Display seat availability map by segment	Seat Map script or click on Booked Class in PNR	Click on Booked Class in PNR
Display seat map from availability line	41*Y (for booking class Y)	SA*A1Y Note: Only works in native.
Request non smoking window	4RA\$W	S.NW
Request smoking, aisle seat	4RA\$5A	S.SA
Request seat by segment and passenger	4RS6\$9A	S.S6P1/9A
Cancel seat selection by segment	4RX-6	S.S6@
Cancel all seats	4RX	S.@



Worldspan to Travelport+: Booking file

This topic describes how to convert Worldspan formats to Travelport+ formats for booking file actions:

- [Build a booking file](#)
- [Booking file actions](#), such as end, ignore, retrieve, cancel, display history
- [Divide booking file](#)
- [Repeat booking file / clone](#)

Build booking file

	Worldspan	Travelport+
Display air availability	A13MAYSTOLON	A13MAYSTOLON
Reference sell flight	01Y1	N1Y1
Reference sell all flights, 3 seats	03CY3	N3C2Y3
Price at best available fare	4PLF	FQBB
Price at best available fare and rebook	4PLFB	FQBB followed by FQBBK
View rules summary for segment 1, after a fare quote	4PR-1	FNS1
Add name	-HORN/SAMMR	N.HORN/SAM MR
Add agency phone	9-AGENT	P.LONT*020867589
Add ticketing date	7TAW/01/21DEC	T.TAU/21DEC
Add received field	6HARRIS/R MR	R.HARRIS/R MR
End or end and retrieve the record	E or ER	E (or ET) or ER

Booking file actions

	Worldspan	Travelport+
Help entry		H/END
End transact	E	E
End transact and retrieve	ER	ER
Ignore	I	I
Ignore and retrieve as original	IR	IR
Retrieve booking file	*LOCATOR	*LOCATOR



	Worldspan	Travelport+
Retrieve booking file by name	*-HARRIS	*-HARRIS
Change segment 2 to three seats	X2/03	@2/3
Rebook segment 3 - 5 to F class	X3-5#0/F	@3-5/F
Cancel segment 2	X2	X2
Cancel itinerary	XI	XI
Redisplay booking file	*R	*R
Display history	*H	*H
Repeat all customer data-all segments	EC*A	REALLSALL
Reconfirm status of segments/SSR	EWGR	@ALL

Divide booking file

	Worldspan	Travelport+
Help entry		H/DP
Step 1 Divide passenger 1	D1	DP1
Step 2 Receive	N/A	R.AGT
Step 3 File new PNR	Make change directly after D1 entry, during divide process. Make the change first for all airlines except for A3 and EI. For A3 and EI, make the change at the end.	F
Step 4 Receive	N/A	R.AGT
Step 5 Finish. End or End and retrieve	F N/A E	E or ER
Make change after E or ER only. End of process		

Worldspan to Travelport+: Review booking file

This topic describes how to convert Worldspan formats to Travelport+ formats for review booking file.

	Worldspan	Travelport+
Help entry		H/RB.



	Worldspan	Travelport+
Add booking file to queue 47 on a specified date with free text.	QF/47*23DEC	RB.23DEC/Q47*FREE TEXT
Change review date retrieve BF	N/A	RB.@1/22DEC
Delete review	N/A	RB.1@

Worldspan to Travelport+: Queues

This topic describes how to convert Worldspan formats to Travelport+ formats.

	Worldspan	Travelport+
Help entry		H/Q
Display queue count, all queues	QCT*ALL	QCA
Display queue count on specific queue	QC/97	QCB/97
Sign into queue	Q/97	Q/97
Ignore BF and continue to next PNR	I	I
Sign out of queue and ignore	QX#I	QXI
Remove BF from queue	QR	QR
Place BF on queue	QEP/99	QEB/99

Worldspan to Travelport+: Fare display

This topic describes how to convert Worldspan formats to Travelport+ formats.

	Worldspan	Travelport+
Help entry		H/FD
Display fare by date and specific carrier	4FHELFR-AAY/S11DEC	FD11DECHELFR-AAY
Display all fare rules by line number	4F.R3#ALL	FN*3/ALL
Display rule by line and paragraph	4F.R3#PEN	FN*3/16
Display fare routing and information	4FR2	FR*2



Worldspan to Travelport+: Pricing

This topic describes how to convert Worldspan formats to Travelport+ formats for:

- [Itinerary pricing/fare quote](#)
- [Fare shopping](#)
- [Taxes](#)

Itinerary pricing/fare quote

	Worldspan	Travelport+
Help entry		H/FQ
Informative quote	4P	FQTDD
Price adult fare, all passengers	4P*	FQ
Price passenger 2	4PN2.1	FQP2
Best Buy	4PLF Note: Use @ sign to price via Direct Access - 4PLF@	FQBB
Best Buy and rebook	4PLFB Note: Use @ sign to price via Direct Access - 4PLFB@ More entries in INFO 4PLF	FQBB + FQBBK
Best buy per cabin	4PLF.C (where C indicates business class)	FQBB++-BUSNS
Exclude economy unbundled fares	4PLF@FXD	FQBB/FXD
Fully flexible fare	4PLF#FNP	FQBB/PE00
Price child's fare	4P*PCHD	FQ*CHD
Price all segments with fare basis code	4P*--BLAPOW	FQ@BLAPOW
Private Fares only	4PFSR.SR	FQ:P
Best buy for fare with PTC ITX only	4PLF*PITX	FQBB*ITX
Best Buy for fare with account code TO only	4PLFFSR#/@@TO.AC	FQBB-:TO



Power pricing, Epricing, Fare shopping

	Worldspan	Travelport+
Help entry		H/FS
Fare Shopping AMS BKK AMS	\$P@30SEPAMSBKK/R15OCT	FSAMS30SEPAMSBKK15OCTAMS
	Use ePricing script for more options	Use Smartpanel for more options

Taxes

	Worldspan	Travelport+
Help entry		H/FTAX H/TAX
Tax information by country name	GTAX FRANCE	FTAX-FRANCE
Tax information by country code	GTAX GB	FTAX-GB
Passenger facility charge (PFC) for airport code	4FPFC.PFCMIA	FTAX*PFC-MIA

Worldspan to Travelport+: Ticket/Void

	Worldspan	Travelport+
Help entry		H/TKP H/VOID
Print ticket-itinerary invoice-issue MIR for all passengers	EZE*	TKP
Issue itinerary only	EZL	TKPDID
Issue ticket only	EZE	TKPDTD
Issue MIR only	EZI	TKPDAD
Issue ticket and MIR	EZEI	TKPDTDAD
Void an e-ticket	DDV0061234567890	TRV/0061234567890

Worldspan to Travelport+: Client file/profiles

	Worldspan	Travelport+
Display agency profile	G*	C*
Display business profile	G**ABC	C*ABC
Display personal profile	G*-SMITH*ABC	C*ABC-SMITH



	Worldspan	Travelport+
Move business file to a booking file	G**IBM#C	CMT/IBM
Move personal file to a booking file	G*-SMITH*IBM#C	CMT/IBM-SMITH

Worldspan to Travelport+: Cars

	Worldspan	Travelport+
Help entry		H/CARS
Request car availability for Salt Lake City	CRASLC10MAR12MAR/ARR-10A/DT-10A	CAL10MAR-12MARS LC/ARR-10A/DT-10A
Car index Denver	CRLDEN	CAIDEN
Car index Denver for Hertz	CRLDEN/CZE	CAIDEN/ZE

Worldspan to Travelport+: Hotels

	Worldspan	Travelport+
Help entry		H/HOTELS
Hotel availability for Munich	HLMUC9APR16APR2/D-D-10	HOA9APR-16APRMUC/2/D-10M
Hotel index Tokyo	HLNRT	HOINRT
Hotel Index Tokyo for Marriott properties	HLNRT/CEM	HOINRT/EM



Miscellaneous

Worldspan to Travelport+: Miscellaneous

Convert currency

	Worldspan	Travelport+
Help entry		H/FZS
Convert from one currency to another	4C@520/GBP#SE	FZSGBP520SEK
Display bank selling rate (BSR) for specified currency	4C*XX (where XX is country code displays the bank selling rate)	FZSUSD
Display IATA rate of exchange (ROE)	4C*HKD/R	FZIHKD

Local time and date calculator

	Worldspan	Travelport+
Help entry		H/FZS
Local time for assumed city	KCDPCC	@LT
Check Local time for AKL	KCD*AKL	@LTAKL
Switch to 12 hour clock	N/A	HMCT@12/LT

Retention segment

	Worldspan	Travelport+
Help entry		H/RD
Add retention segment with date	TNZZMK1MIS22SEP/AN*	RT.T/22SEP*
Add retention segment with date and text	TNZZMK1MIS22SEP/AN-TEXT	RT.T/22SEP*TEXT



Printing

	Worldspan	Travelport+
Help entry		H/P- H/TKP
Print all fields of a BF	N/A	P-*ALL
Print ticket-itinerary invoice-issue MIR for all passengers	EZE*	TKP
Print Itinerary of BF	EZL	TKPDID



TRAVELPORT+ AND OTHER GDSS

Basic functions and encode/decode

Basic format comparison guide between Travelport+, Worldspan, Apollo, and Amadeus entries.

In Smartpoint, the translator app will help you find entries for all the main GDSs.

Use the CTRL+F "Find" function in your browser to search for an entry on this page.

Basic functions

	Travelport+	Worldspan	Apollo	Amadeus	Sabre
Sign onto workstation	SON/ZAW	BSI\$.../GS	SON/ZAW	JL.../GS	SI*...
Sine off workstation	SOF	BSO\$	SOF	JO	SO*
Change work areas	SB	BB	SB	JMB	³B
Display all work areas	OP/W*	B\$	OP/W*	JD	*S*
Link to ticket printer DT = Demand Ticket	HMLM.....DT (..... = printer address) (DT = Demand Ticket)	4G#ME	HMLM.....DT (..... = printer address)	N/A	W*AB..... (..... = device address)
Link to invoice printer DI = Demand Itinerary	HMLM.....DI (..... = printer address)	4G#ML	HMLM.....DI (..... = printer address)	N/A	DSIV..... (..... = device address)
Link to hard copy printer	HMLM.....DX Link terminal to PRT DEV GTID Dxxxx1 (DX - Demand printability)	4G#ML	HMLM.....DX (..... = printer address)	N/A	PTR/..... (..... = device address)
Display workstation address	+J	KGB	‡J	N/A	+J
Scroll	MD, MU, MB, MT	MD, MU, MB, MT	MD, MU, MB, MT	MD, MU, MB, MT	MD, MU, MB, MT



Encode/Decode

Encode

	Travelport+ H/ENCO	Worldspan	Apollo HELP ENCODE	Amadeus	Sabre
City	.CE PEORIA	KC/PEORIA	S*CTY/PEORIA	DANPEORIA	W/- CCPEORIA
Airline	.AE AIR CANADA	KAC/AIR CANADA	S*AIR/AIR CANADA	DNAAIRCANADA	W/-ALAIR CANADA
Country	.LE JAPAN	4C*JAPAN	S*COU/JAPAN	DCJAPAN	HCCC/JAPAN
Car company	GC*12/CAR/BUDGET	CRCBUDGET	S*CAR/BUDGET	DNCBUDGET	W/- CRBUDGET
Hotel company	GC*11/HTL/RAMADA	HCRAMADA	S*HTL/RAMADA	DNHRAMADA	W/- HLRAMADA

Decode

	Travelport+ H/DECO	Worldspan	Apollo HELP DECODE	Amadeus	Sabre
City	.CD NYC	KD/PIA	S*CTY/PIA	DACPIA	W/*PIA
Airline	.AD EI	KAD/AC	S*AIR/AC	DNAAC	W/*AC
Country	.LD AU	4C*J	S*COU/JPJP	DCJP	HCCC/JP
Car company	GC*12/CAR/ZD	CRCZD	S*CAR/ZD	DNCZD	W/CR*ZD
Hotel company	C*HTL/RA	HCRA	S*HTL/RA	DNHRA	W/HL*RA



Flights

Flight availability, sell, and modify

In Smartpoint, the translator app will help you find entries for all the main GDSs.

Use the CTRL+F "Find" function in your browser to search for an entry on this page.

Availability

	Travelport+ H/AVAI	Worldspan	Apollo HELP AVAIL	Amadeus	Sabre
Basic availability	A21NOVSAN SFO	A21NOVSAN FO	A21NOVSAN SFO	AN20NOVSAN SFO8A	121NOVSA NSFO
Availability through a link	A21NOVSAN SFO*DL	@DL@A13MA YSFOYUL9A	LADDSUP3DL/A1 3MAYSFOYUL9A	1DLAD13MAYI ADSFO9A	113MAYSF OYUL9A*DL
Link availability from original request	A*DL	A@DL	LADDSUP3DL/A	ACL2	N/A
Availability for specific class	A13MAYBNA DEN*DL@Q	@DL@A13MA YBNADEN1* Q	N/A	1DLAD13MAYI ADSFO9A/CQ	N/A
Request first available Q seat	AF22DECYY ZYQC@Q	A22DECYYZY YC-Q	A/Q/22DECYYZY YC	N/A	122DECYY ZYQC-Q

Update availability request

	Travelport+	Worldspan	Apollo	Amadeus	Sabre
Display more availability	A*	AD	A*	MD or MB	1*
Display original availability	A*R	A*	A*R	MOAN	1*OA
Redisplay last availability	A	A*	A*C	N/A	1*R



	Travelport+	Worldspan	Apollo	Amadeus	Sabre
Request opposite availability	AR30NOV	A/R30NOV	A*O30NOV	ACR30NOV1700	1R30NOV5P
Request specific carrier	A*DL	A-DL	A*‡DL	ACDL/	1+DL
Request specific time	A11A or A1100	A11A or A1100	A*11A	AC1100	1*11A
Request specific date	A24DEC	A24DEC	A*24DEC	AC24DEC	124DEC
Request connection city	A.DEN	A/DEN	A*XDEN	ACXDEN	1DEN
Request new origin city	TTBATL	A@AATL	A*BATL	ACATL	1*DATL
Request new destination city	ADHOU	A@DHOU	A*DHOU	AC//HOU	1*AHOU
Display journey time	AJ	AE	A*J	N/A	VI
Request direct flights only	A.D	A/D	A*D	N/A	1/D
Redisplay current availability screen	A*GAL (current) A*O (original) A*P (previous)	N/A	A*C	N/A	N/A
Display tariff from availability line 1	FD1	N/A	\$DL1	N/A	N/A
Convert to fares display	FDA	4F.A	\$DL1	N/A	N/A

Flight information

	Travelport +	Worldspan	Apollo HELP *SVC HELP FLIFO	Amadeus	Sabre
Display in-flight service	*SVC	V*	*SVC	RTSVC	VI*



	Travelport +	Worldspan	Apollo HELP *SVC HELP FLIFO	Amadeus	Sabre
Display specific flight information	TTUA123/11 APR	2UA123/11 APR	F:UA123/11 APR	DOUA123//1 1APR	2UA123/11 APR
Display flight information from availability line 2	TTL2	V\$2	F:L2	DO2	VA*2
Display flight information from PNR segment 2	TTB2	V**2	F:2	DO2	VI*2

Sell, cancel, and change flights

	Travelport+ H/O, H/CHAN, H/CANC	Worldspan	Apollo HELP SELL	Amadeus	Sabre
Sell flights from availability	N1C2	01Y1 or 01V1H2 or 01Y1*	01Y1 or 01V1H2 or 01Y1*	SS1Y1	01Y1 or 0V1H2 or 01Y1*
Insert ARNK	OA or Y	0A or /20A	Y or /2+Y	SIARNK	0A or /2A
Insert an ARNK after segment 3	0A or Y /3Y	/3/0A	/3+Y	SIARNK	SIARNK
Sell open segment	0YYOPENY PHFRANO1	0YYOPENY 3DEC DENLAXPS 1	0YYOPENY 3DEC DENLAXNO 2	SOUAY3DE C DENLAX	0YYOPENY 3DEC DENLAXDS 2
Waitlist a flight	0BA512M12 DEC LHRLINLL4	0L1Q2	01Q2LL	SS1Q2/PE	01Y1LL
Passive sell a flight	0TG917C19J UN LHRBKKAK2 or N1Y1AK	01Y1@MK	01Y1GK	SSAA236Y1 4JAN LGAORD1	01Y1GK
Cancel segment 3 and sell new flight	X1+0SK932F 8NOV	X3/01B2	X3/01B2	XE2 then resell	X3+01B2



	Travelport+ H/O, H/CHAN, H/CANC	Worldspan	Apollo HELP SELL	Amadeus	Sabre
	LAXCPHNN3 or X2.4+N1F6				
Cancel segment 2 and sell new date	X2	X2±0/27DEC	X2/027DEC	SB27DEC2	X2+027DEC
Cancel all segments and sell in different class	XI+N2Y1Y2	X4±0/F	XA/0F	SBF	WCAF
Cancel multiple segments	X3-5.7	X3-5/7	X3-5+7	XE3-5,7	X3-5/7
Cancel whole itinerary	XI	XI	XI	XI	XI
Cancel air segments only	XA	XA	XA	N/A	XIA
Insert after segment 3	/0S3	/3	/3	RS3	/3
Move segment 1 after segment 3	/1/3	/1S3	/1/3	RS1,3	/1/3

Fare display

Basic entries

	Travelport + H/FD	Worldspan	Apollo HELP \$D	Amadeus	Sabre
Display fares for all carriers	FDBNALAX	4FBNALAX	\$DBNALAX	FQDBNALAX	F5BNALAX13JUN
Display fares for a specific carrier	FDYVRSFO/DL	4FYVRSFOE X-DL	\$DYVRSFO±DL	FQDYVRSFO/A-DL	FQYVRSFO14MAYEX-DL
Display a validated tariff	FDBNALAX V	N/A	\$DJFKCDGV23OCT27OCT±AF	N/A	N/A



	Travelport + H/FD	Worldspan	Apollo HELP \$D	Amadeus	Sabre
Display carrier tariff through link	N/A	N/A	L3CO/\$D	N/A	N/A
Display availability from fares	AV2	A.4F	L1	N/A	FQ1/2
Display fares – dates validated	FDJFKCDG V2OCT7OC T.AF	4FJFKCDG/L 2OCT /R7OCT-AF	\$DJFKCDGV 2OCT7OCT#A F	N/A	FDJFKCDG 2OCT#R7O CT

Follow-up entries

	Travelport+	Worldspan	Apollo HELP \$D	Amadeus	Sabre
New date	FD13NOV	4F*13NOV	\$D13NOV	FQDC/13NO V	\$FQ*13NO V
Change destination	FDDSEA	4F@ASEA	\$DDSEA	FQDCSEA	FQ*ASEA
Change origin	FDOSEA	4F@DMIA	\$DBMIA	N/A	FQ*DMIA
Fares in NUCs	FD:NUC	N/A	\$D:NUC	N/A	FQ*/NUC
Specific fare category	N/A	4F*GV	\$D-GOV	FQDC/R, GOV	\$D+GV
Specific airline	FD/CO	4F*-CO	\$D±CO	FQDC/ACO	\$D/CO
With no restrictions	/PE00	N/A	\$D/NR	N/A	\$DL1
Change currency	:GBP	4F*@GBP	\$D:GBP	N/A	\$D:GBP

Fare rules

	Travelport+	Worldspan	Apollo HELP \$V	Amadeus	Sabre
Display rule menu	FN*1	4F.R1	\$V1	FQN1	\$V1
Display subjects from rule menu	FN*1/16	4F.W2	\$V/16	FQN1*AP	\$V/14



	Travelport+	Worldspan	Apollo HELP \$V	Amadeus	Sabre
Display rule summary	FN*2/S	N/A	\$V1/S	N/A	\$V1/S
Display rule summary keyword	N/A	N/A	\$V1/DAY	N/A	\$V1/DAY

Pricing

	Travelport+ H/FQ	Worldspan	Apollo HELP \$B or HELP \$BB	Amadeus	Sabre
Price itinerary as booked	FQ	4P*	\$B	FXP	WB
Lowest available fare	FQBB	4PLF	\$BB	FXA	WPNC
Lowest possible fare	FQBBA	4PLFQ	\$BBA	FXL	WPNCB
Price at best available fare and rebook	FQBB followed by FQBBA	4PLFB	\$BB0	FXB	WPNCB
Price in specific cabin (F class)	FQ.F	4P.F	\$B.F	N/A	WPQF
Child age 7	FQP1*C07	4PPC07	\$BN1±2*C7	FXX/R*C07	WPPC7
Name select	FQP1-2.4	4PN1.1	\$BN1-1	FXX/P1	WPN1.1
Segment select	FQS1.3-7	4PS1/3-7	\$BS1±3*7	FXX/S1,3,4,5,6,7	WPS1/3-7
With a stopover	FQO2 or FQO2.5	4P-O2	\$BSO2	FXX/S2O	WPO2
No penalty	FQ/PE00 or FQBB/PE00	4P*FNP	\$BPE0	N/A	WPXP
No restrictions	FQ:NR FSFRA10JUN LON17JUNFRA +:NR	4P*FNA	\$BNR	N/A	WPXR
Specify connection	FQX2	4P-X2	\$BX2	FXX/S2X	WPX2



	Travelport+ H/FQ	Worldspan	Apollo HELP \$B or HELP \$BB	Amadeus	Sabre
Price if booked today	FQ	N/A	\$BBT	N/A	WPB (today's date)
Fare shopping (booked itinerary)	FS	\$P	FS	N/A	WPNI
Rules summary from a fare quote	FQN followed by FN1/S	N/A	\$V:/S	N/A	N/A
Discount % (10% off)	FQ*RP10	4PQ*FEX/-10/CD10	\$B*DP10 (up to 100%)	FXX/ZO-10P	WPQ//DP10
Discount by amount (\$50 off)	FQ*FA50 (before taxes) FQ*FT50 (after taxes)	4PQ*FEX/- \$50/COUPON	\$B*DF50 (off base fare) \$B*DFT50 (off total fare-U.S.)	FXX/ZO-50A	WPQ//DA50.00
Price with passenger type code (see airline rules)	FQP1*SRC62	4PLF@PSR C62	\$B*SRC62	FXX/RSRC62	WPQ/SC62

Store fare

	Travelport +	Worldspan	Apollo HELP T:\$B	Amadeus	Sabre
Store fare basic entry	FQ	4PQ	T:\$B	FXP	WS
With carrier override	FQ/CBA	4PQ#CDL	T:\$BCDL	N/A	WSADL
With tour number	N/A	N/A	T:\$BIT4TW4M	N/A	WSUIT4TW4M
Store fare and commission percentage	FQ*RPnn FQ*IPnn FQ/PE25	N/A	T:\$BZ11	N/A	N/A
Store fare with fare basis	FQ@BLXAP	4PQ - - HE7NR	T:\$B3HE7NR	N/A	WSQHE7NR



	Travelport +	Worldspain	Apollo HELP T:\$B	Amadeus	Sabre
Store fare with endorsements	FBUEB/FR EE TEXT	N/A	T:\$BGEBVALID 3UA3ONLY	N/A	WSEVALID UA ONLY
Cancel stored fare	FX1 or FXALL	4PQ@	XT	TTE or TTE/T1 or TTE/ALL	WSD
Request manual pricing	FBC or FBCCBA	4/MRQ	HHPR (Pricing Record)	TTC	W+C

Issue travel documents

	Travelport + H/TKP	Worldspain	Apollo HELP HB:	Amadeus	Sabre
Issue e-ticket, invoice, and boarding passes	TKP	EZ	HB:	TTP/INV	W+DP
Issue paper ticket	N/A	EZT	HB:PT	N/A	N/A
Issue invoice only	TKPDTDID	EZL	HB:DID	INVJ	DIN+D P
Issue itinerary only	TKPDID	EZN	HBDID/GI N	IBPJ	DIT+D P I

PNRs

PNR fields

This topic includes both [mandatory](#) and [optional](#) PNR fields.

In Smartpoint, the translator app will help you find entries for all the main GDSs.

Use the CTRL+F "Find" function in your browser to search for an entry on this page.



Mandatory PNR fields

Name field

	Travelport+ H/N.	Worldspan	Apollo HELP N:	Amadeus	Sabre
Add name fields	N.HART/TINA MS	- HART/TINA. MS	N:HART/TINA MS	NM1HART/T INE MS	- HART/TIN A MS
Name field with name field remarks	N.LEE/ED MR*12345	- LEE/ED@12 345	N:LEE/ED MR*12345	NM1LEE/ED MR(ID12345 6)	-LEE/ED MR*12345
Add name field remarks	N.P1@*P-C07 DOB12SEP16	-@*0987	C:N:*0987	1/(ID0987)	-3@*0987
Add infant name	N.I/LEE/ ANN*17JUL2 2	- LEE/ANN*IN F	N:I/LEE/ANN*17JU L22/P-INF01	NM1LEE/AN N (INF/ANN)	- I/LEE/ANN
Change name	N.P3@REED/ KIM	- 3@REED/KI M	C:3N:REED/KIM	3/2REED/KI M	- 2@REED/ KIM
Display name	*N	*N	*N	RTN	*N

Phone field

	Travelport+ H/P.	Worldsp an	Apollo HELP P:	Amade us	Sabre
Move agency phone from agency profile and add agent name	CM/+*RICKY	9-RICKY	MVT/±*RICK Y	N/A	N*GC2+RICKY
Add business phone	P.LONB*0208 675 9989	9*WAS202 -333-1233- B	P:WASB/20 2-333-1233	AP202 333 1233-B	9202-222-3737-A
Add residence phone	P.LONH*0208 123 4567	9*WAS202 -444-5555- H	P:WASR/20 2-444-5555	AP202 444 5555-H	9202-444-5555-R
Add e-mail address	MT.TOM- HILL@ACME. COM Note: -- =	N/A	P:WASE/J-- SMITH// XYZ.COM Note: -- = underscore (APE- JSMITH @ XYZ.CO M	PE+J==SMITH@X YZ.COM Note: == is underscore



	Travelport+ H/P.	Worldspan	Apollo HELP P:	Amadeus	Sabre
	underscore // = @ sign		_) // = @ sign		
Change 2nd phone number	P.2@LONB*0 207 6759989	92@WAS 202-222- 3737	C:2P:WASB/ 202-222- 3737	7P2 AP202 222- 3737-B	92@02-222-3737
Display Phone field	*P	*PP	*PP	RTJ	*P9

Received field

	Travelport+	Worldspan	Apollo HELP R:	Amadeus	Sabre
Add Received field	R.HARRIS/D MR	6JACKIE	R:JACKIE	RF JACKIE	6JACKIE
Change Received field	R.@MARK	6@MARK	C:R:MARK	RF MARK	6 ³ MARK
Display Received field	*RV	N/A	*C or *H	RTP	*P6

Ticketing field

	Travelport+ H/T.	Worldspan	Apollo HELP PNR- TICKET (U.S.) HELP T: T (CANADA)	Amadeus	Sabre
Add ticketing field	T.T*	7TAW/00/12D EC	T:TAU/12DEC	TKTL12D EC	7TAW12DE C/
Show PNR as already ticketed	N/A	7/	T:T/	TKOK	7T-A
Change ticketing date	T.@T*	7@TAW/01/6 JAN	C:T:TAU/6JAN	9/61JAN	7@TAW/6J AN
Display ticketing field	*TD	*TK	*T	RTK	*P7 or *T



Optional PNR fields

Address

Note: Agency address not required in Apollo.

	Travelport+ H/R.	Worldspa n	Apollo HELP W- or HELP D-	Amadeus	Sabre
Add client address	W.MR LANE*21 OAK RD *LONDON*P/ N21 3TL	5-CBMR JOHN SMITH 5-CB 1123 OAK ST 5-CBSAN DIEGO CA91234	W-MR JOHN SMITH*1123 OAK ST*SAN DIEGOCA Z/91234	AB MR JOHN SMITH, 1123 OAK ST, SAN DIEGO, CA, 91234	5/MR JOHN SMITH 5/1123 OAK ST 5/SAN DIEGO CA 91234
Add delivery address	D.MR LANE*21 OAK RD *LONDON*P/ N21 3TL	5-CDMR JOHNS MITH5-CD 1123 OAK ST5- CDSAN DIEGO CA91234	D-MR JOHN SMITH*1123 OAK ST*SAN DIEGOCA Z/91234	AM MR JOHN SMITH, 1123 OAK ST, SAN DIEGO, CA, 91234	5DL-MR JOHN SMITH 5/1123 OAK ST 5/SAN DIEGO CA 91234
Change second line of address field	W.2@ NEW TEXT	52@-1124 OAK ST	C:W-2@1124 OAK ST	4/CI-1123 OAK ST.	52@-1124 OAK ST
Add a line to address field	W.@/3*SUIE 750	52/- CBSUIE 750	C:W-/2SUIE 750	4/CI-SUIE 750	52/SUIE 750
Display address	*AW or *AD	*MA	*PW or *PD	RTP	*/



Frequent flyer field

	Travelport + H/M.	Worldspan	Apollo HELP MP*	Amadeus	Sabre
Add frequent flyer number	M.UA123456789	3SSRFQTVAAHK/AA1234567	MP*AA1234567	FFNAA-4422110	FFAA1234567
Delete frequent flyer number	M.@	31@	MP/X/*AA or MP/X/*ALL	N/A	FF1 ³
Add frequent flyer number for second passenger	M.P2/AF123456789/DL	3SSRFQTVUSHK/US1234567-2.1	MPN2-1*US1234567	FFNUS1234567/P2	FFUA12345-2

Other Service Information / Special Service Request

	Travelport+	Worldspan	Apollo HELP OSI or HELP SSR	Amadeus	Sabre
Add wheelchair request, single passenger	SI.P2S5/WCHR	3SAWCHR	:3WCHR	SR WCHR	3WCHR
Add OSI information	SI.YY*PSGRIS 95	3OSI YYPSGR IS 95	:3OSI YYPSGR IS 95	OS YYPSGR IS 95	3OSI YYPSGR IS 95
Display SSRs	*SI	*G	*PS	RTG	*3PS

Form of payment field

	Travelport+	Worldspan	Apollo HELP PNR- TICKET (U.S.) /HELP T: T (CANADA)	Amadeus	Sabre
Credit card	F.VI442780666666661/D1221	5\$CCVI442780666666661P1221	F-VI442780666666661/D1221	FPCCVI4427806666661/1221	5-*VI442780666666661+12/26
Check/Cheque	F.CK	5\$CK	F-CK	FPCHECK	5-CHECK



	Travelport+	Worldspan	Apollo HELP PNR- TICKET (U.S.) /HELP T: T (CANADA)	Amadeus	Sabre
Change form of payment	F.S	5\$@CA	C:F-S	N/A	52@-CASH
Get authorization number for credit card	JVAX373900 0000 00000/D1221 / T250.00/MBA /I6554	CK/ VI44278066 66 666661P120 6300/ 5 digit IATA #	JVVI4427806 66666 6661/T300.0 0/ 1206/MDL	N/A	CK*VI442780666 6666661/ 1226/300/DL
Verify credit card number	JVAX317284 5 67841005/V1	CD/VI40055 5550 10101N1226	JVVI4427806 6 66666661/V1 .00	N/A	N/A

Itinerary remarks

	Travelport +	Worldspan	Apollo HELP PNR-ITIN (US) /HELP ITIN (Canada)	Amadeus	Sabre
Add remark to print on bottom of itinerary	RI.HAVE A NICE TRIP	5RM-HAVE A NICE TRIP	RMU:HAVE A NICE TRIP	RII HAVE A NICE TRIP	5‡HAVE A NICE TRIP
Add remark that prints after a segment on itinerary	RI.S2*SEAT RESTRICT ED	5S3*RM- SEAT RESTRICTE D	RMA3:SEAT RESTRICTE D	RII3SEAT RESTRICT ED	5‡S2 SEAT RESTRICT ED
Delete itinerary remarks	RI.@ or RI.2@	52@	RMC:3	6/M	



PNR remarks

	Travelport+	Worldspan	Apollo HELP 3:5	Amadeus	Sabre
Add remark	NP.PAX WANTS ZI CAR	5PAX WANTS ZI CAR	3:5PAX WANTS ZI CAR	RM PAX WANTS ZI CAR	5PAX WANTS ZI CAR
Add qualified remark	RI.S1/DT* TERMINAL 4	5.CAVIS ID 78782	3:5C/AVIS ID 12345	RMCAVISID12345	5+AVIS ID-12345
Change second remark	RI.2@BE SURE TO HAVE A VALID VISA FOR TRAVEL	52@BRING PHOTO ID	C:23:5BRING PHOTO ID	5/NN BRING PHOTO ID	523BRING PHOTO ID
Insert remark	RI./0*TEXT Or RI./2S3*TEXT	5.C3@freeform	/33:5 freeform	N/A	53/FREETEXT

Ticketing remarks

	Travelport+	Worldspan	Apollo HELP T-	Amadeus
Add account number to PNR	N/A	5-CA123456	T-CA-0038	RM*AN0038
Booking agent override	N/A	N/A	T-BA-37	N/A

Seats

	Travelport +	Worldspan	Apollo HELP SEATS	Amadeus	Sabre
Request non smoking window	S.S1/NW	4RA\$W	9S	ST	4GA/NW
Request non smoking aisle	S.P2.4/NA	4RA	9S/A	ST/A	4GA/NA
View the seat map for segment 1	SA*S1	41*	9V/S1	SM1	4G1*
Sell specific seats	S.S1/23A.B	4RS1\$23AB	9S/S1/23AB	ST/23AB/S1	4G1/23AB
Cancel seat for segment 1	S.S1	4RX1	9X/S1	SX/S1	4GX1
Cancel all seats	S.@	4RX	9X	SX	4GXALL



	Travelport +	Worldspan	Apollo HELP SEATS	Amadeus	Sabre
Display seat assignments	*SD	*S	9D	N/A	*B

Retrieve and copy PNR

Retrieve PNR

	Travelport+	Worldspa n	Apollo HELP RETRIEVE	Amadeus	Sabre
Retrieve PNR	*-SMITH	*-SMITH	**SMITH	RT/SMITH	*-SMITH
Retrieve by surname all branches	**B-SMITH	*A-SMITH	**B-SMITH	N/A	*-XXXX- SMITH
Retrieve by surname and specific PCC	**HK7-SMITH	*LQ4- SMITH	**LQ4- SMITH	RT/EWR1S2 104-SMITH	*-89G0- SMITH
Retrieve by date and surname	*28JUN- SMITH	*-SMITH‡ 26AUG	**26AUG- SMITH	RT/26AUG- SMITH	*-26AUG- SMITH
Retrieve PNR by date and surname all branches	**HK7/15MAR - ANDERSON/E MS	N/A	**B/26AUG- SMITH	RT/EWR1S2 104/ 26AUG- SMITH	*-5AUG/ 89G0- SMITH
Retrieve PNR by record locator	*8T7URR	*8T7URR	*8T7URR	RT8T7URR	*ATUUWE
Retrieve by flight number and surname	*SR791/13SE P-SMITH	*AA76/13S EP-SMITH	*AA76/13S EP-SMITH	RTAA76/ 13SEP- SMITH	*AA76/13S EP-SMITH
Redisplay similar name list	*L	*L	*L	RT0	*L

Copy PNR

	Travelport +	Worldspa n	Apollo HELP REPEAT	Amadeu s	Sabre
Copy entire PNR	REALLSAL L	EC*A	REALLSALL	RRN	ECAPD
Copy itinerary only	RESALL	EC	RESALL or RES1*3*5-7	RRI	IC or EC or ECX2



	Travelport +	Worldspa n	Apollo HELP REPEAT	Amadeu s	Sabre
Copy passenger data only	REALL	ECXI#*A	REALL or REN:P:R:	RRP	ICAN P5 P9

Build a PNR

	Travelport+	Worldspan	Apollo	Amadeus
Add form of payment	F.AX3700000000 000012 /D1107	5\$CCVI442780666 6666661 P1206	F- VI44278066666 66661 /D1206	FPCCVI4427806 666666 661/1206
Add name	N.2HORN/SAM MR /ANNMRS	-RODRIGUEZ/SAM	N:RODRIGUEZ /SAM MR	NM1RODRIGUE Z/SAM
Add received field	R.SUSAN	6SUSAN	R:SUSAN	RF SUSAN
Add residence phone	P.LONH*0208 675894	9LAX615-555- 1234-H	P:LAXR/615 555-1234	AP615 555- 1234-H
Add ticketing date field	T.TAU/21DEC	7TAW/01/1AUG- CAA	T:TAU/1AUG	TKTL9AUG
Add ticketing remarks Note: Format may vary due to account system.	N/A	N/A	T-CA01	RM*AN00379999 99
Assign seats	SA*	4RA\$W	9S	ST
Booking agent override	N/A	N/A	T-BA-37	N/A
Display air availability	A27JULFRAROM /LH	A13MAYBNASFO	A13MAYBNAS FO	AN13SEPBNAS FO8A
End transaction and save PNR	E or ER	E or ER	E or ER	ET
Move profile	N/A	G*- RODRIGUEZ*ACM E‡*C	MVT/ACME- RODRIGUEZ/ ‡*JANE	PBN/ACME- SMITH
Opposite availability	AR	A/R15SEP	A*O15SEP	ACR15SEP AC1P
Price at best available fare	FQBB	4PLFQ	\$BB	FXA
Reference sell flight	N1Y1	01Y1	01Y1	SS1Y1



	Travelport+	Worldspan	Apollo	Amadeus
Reference sell multiple flights	N3C2Y3	01Y1Y2	01Y1*	N/A
Store fare	FQ	4PQ	T:\$B	FXP
View rules summary	FN*3	4F.R3	\$V:/S	N/A

Queues

	Travelport+ H/Q	Worldspan	Apollo HELP QUEUES	Amadeus	Sabre
Display future queues	QM	N/A	*QM	N/A	*Q-
List all queues where a PNR resides	QW	N/A	QW	N/A	N/A
Place PNR on queue	QEB/40	QEP/40	QEP/40	QE40	QP/40
Place PNR on branch office queue	QEB/3RB/35	QEP/17X0/40	QEP/17X0/40	N/A	QP/17X019
Queue count all queues	QCA	QCT	QC/ALL	QCQ	QC/
Queue count all for branch office	QCA/87L	QCT/87L/*ALL	QC/87L/ALL	QTQ.arc number	QC/89G0
Queue count specific queue	QCB/40	QC/40	QC/40	QC40	QC/40
Queue count with all categories	QCTA/ALL	QCT*ALL	QCTA/ALL	QT	N/A
Queue remove	QR	QR	QR	QN	QR
Request future queue placement	RB.Q59/03DEC	QF*C59*3DEC	QMDR-3DEC/59	OP/3DEC/60	5Q-3DEC59
Sign into queue	Q/40	Q/40	Q/40	QSB	Q/40
Sign out of queue and ignore last PNR	QXI	QX†I	QXI	QI	QXI



Profiles

Display

	Travelport +	Worldspan	Apollo HELP S*	Amadeus	Sabre
Agency profile	C*	G*	S*	PV	N* ³
Business profile	C*ACME	G**ACME	S*ACME	PDN/ACME	N*ACME
Personal profile	C*ACME- SMITH	G*- SMITH*ACME	S*ACME- SMITH	PDMN/ACME- SMITH	N*ACME- SMITH
Branch profile	C*Y3W/AC ME	G*/B7M*AC ME	S*B7M/AC ME	N/A	N*-89G0- ACME
Redisplay last profile	C*R	G*R	S*R	N/A	N*
Redisplay by qualifier	C*B:Q-O	G*RQH	S*R.H	N/A	N**H
Redisplay business profile	C*B	G*R2	S*B	N/A	N*
Redisplay personal profile	C*P	G*R3	S*P	N/A	N*

Move data

	Travelport+	Worldspan	Apollo HELP S*	Amadeus	Sabre
From displayed profile	CMP/+*KELLY	G*C	MV/‡*SUSAN	PT	NM
From specific lines in a profile	CMP/+18.19.25	G*C/311/312	MVP/S/‡5‡8	PT6,8	NM5+8
Blind move personal profile	CMPT/MANNS- OSULLIVAN/+*LIZ	G*- SMITH*ACME ‡C	MVT/ACME- SMITH/‡*JANIC E	PBN/ACM E-SMITH	N*ACME -SMITH



Quality Control

	Travelport+	Worldspan	Apollo HELP CUSTOM	Amadeus	Sabre
Attach a rule	RULA/ACME	N/A	RULA/ACME	N/A	PGM.ACME
Suspend a rule	RULS	N/A	RULS	N/A	PGHOLD
Reactivate a rule	RULA	N/A	RULA	N/A	PGREL
Cancel a rule	RULX	N/A	RULX	N/A	XPG

Miscellaneous

	Travelport+	Worldspan	Apollo	Amadeus	Sabre
Add 31 days to date	*TAA/23MAY/+31	4F.CD23MAR//31	*TAA/23MAY/±31	DD23MAY/31	T³23MAY+31
Cancel segment without sending a message	@1XK	.3HK	.3HK	N/A	.3XK
Change and add times to segment 2	@2/11001330 or @1/6A10P	.2HK/340P715P	.2HK/340P715P	2/340P715P	.2HK340P715P
Change multiple segments status to HK	@1.2HK or @ALL	HKALL	.1HK	N/A	HKALL
Change segment 3 status to HK	@3HK	.3HK	.3HK	3/HK	.3HK
Decode aircraft types	.ED76W 76W J BOEING 767-300 (WINGLETS) PASSENGER H/AIRC	HELP EQP 747	HELP 747	DNE747	W/EQ*747
Currency conversion	FZSNOK3200GBP	4C@JPY/35000	FZSJY 35000USD	FQC35000JPY/ USD/B	DC+JPY3500/USD



	Travelport+	Worldspan	Apollo	Amadeus	Sabre
Determine local time	@LTHNL	KCD*HNL	3LTHNL	DDHNL	T*HNL
Determine mileage	FLTYO/SIN/BK K/DEL FLS1.3.5-7	4F/HNL/SFO/ SLC	\$LMHNL/SFO /SLC	FQMHNLSFO SLC	WNHNLSFO SLC
Display connecting times	DCTJFK	KEC*JFK	DCTJFK	DMJFK	T*CT-JFK
Display flight frequency schedules	DC*ROM/I DC*PAR/O	S18MAYCAI NBO	S/18MAYCAI NBO	RN18MAYLO NTYO	S18MAYCAI NBO
Display weather	H/WEAT	GWEA	S*WEA	N/A	³ WEA/CF*BO S
Subtract 31 days from date	*TAA/23MAY/3 1	4F.CD23MA Y/A31	*TAA/23MAY/ 31	DD23MAY/-31	T ³ 23MAY-31
Use base fare tax calculator	N/A	4F\$B173.15	XX173.15B	DF305.50P10 (base plus 10 percent)	TX/B173.15
Use total fare tax calculator	N/A	N/A	XX305.50T	TX/T305.50	TX/T305.50
Use calculator	H/CALC XX546+52	4C153X7/2- 5‡14	XX153*7/2- 5‡14	DF153*7/2- 5‡14	T ³ 153*7/2- 5+14

News and information

	Travelport+	Worldspan	Apollo HELP NEWS or HELP ENHANCE	Amadeus	Sabre
Daily briefing	C*TLQ/NEWS- 15JUN	GDAY15J UN	S*TLQ/NEWS- 15JUN (U.S.) S*NEW/15JUN (Canada)	GGNEWS and GGAMAUSNEWS	
New enhancements	N/A	INFO ENH	HELP ENHANCE (U.S.) S*GEM/ (Canada)	GGNEWS and GGAMAUSNEWS	Y/SAB/IM P



	Travelport+	Worldspan	Apollo HELP NEWS or HELP ENHANCE	Amadeus	Sabre
Format index	/H or HELP	HELP	HELP	HE	FORMAT FINDER
Geography atlas	C*MAP/ C*MAP/ASIA	GMAP	S*MAP/	N/A	N*/GLOBE
Closest airport to city	C*MAP/OHIO- CCCC.NA	GMAPOH C	S*MAP/OHIO- CCCC.NA	DAN BOSTON	N/A

Hotels

Availability

	Travelport+ H/HOTELS	Worldspan	Apollo HEL P RO OM	Amadeus	Sabre
Request hotel availability by date for 2 adults	HOA6FEB- 09FEBSAN2	HLSAN06FEB 09FEB2	HOA 6FEB - 9FEB SAN 2	HASAN6FEB- 9FEB/RT-2	HOTS AN/6F EB- 3NT2
Request hotel availability after segment 2 for 2 adults until 12 October	/2+HOA- 12OCT/2	HLS2/D- 12OCT2	/2±H OA- 12O CT	HAS2/RT-2	HOT3/ 12OCT 2
Redisplay hotel availability	HOA*R	HL*	HOA *R	N/A	HOD*3
Hotel complete availability (line 3)	HOC3	HA3	HOC 3	HA3	HOT*3
Redisplay complete availability	HOC*R	HA*	HOC *R	N/A	HOT**



Display room rate rules

	Travelport+	Worldspan	Apollo HELP HOV	Amadeus	Sabre
Display rules from booked segment	HOVS2	HRS2	HOVS2	RTSVCH2	N/A
Display rules from hotel availability	HOV2	HR2	HOV2	N/A	HRD*2
From complete availability-- Inside Link	N/A	N/A	HOVA1KRA C	N/A	N/A

Hotel description

	Travelport+	Worldspan	Apollo HELP HOD	Amadeus	Sabre
From segment	HODS3	HDS3	HODS3	HFS5	HOD+3
From availability	HOD2	HD2	HOD3	HF2	HOD*3
For a specific vendor	HODHY	G/HTL/HYQ	HODHY	HFHY	HODHY
Redisplay hotel description	HOD*R	HD*	HOD*R	N/A	HOD*

Hotel index

	Travelport+	Worldspan	Apollo HELP HOI	Amadeus	Sabre
By city	HOI/PHL	HLP/PHL	HOI/PHL	HLNYC	HOTCLE
By vendor code	HOISFO/DI	HLSFO/C-DI	HOISFO/DI	N/A	HOTSAN/DI, TL
By postal code	HOI/PC- US60010	HL/Z-US- 60010	HOI/PC-US60010	N/A	N/A
By reference point	/R-DISNEY	HRPFL- DISNEY	HOIDISNEY	N/A	HOTFL- DISNEY
By city for all reference points	HORSMF	HRPCA-S	HORSMF	N/A	HCCCA*S
Redisplay hotel index	HOI*R	HL*	HOI*R	N/A	HOT**



Modify sold hotel segment

	Travelport+	Worldspan	Apollo HELP HOM	Amadeus	Sabre
Modify dates	HOM2D/15JAN-18JAN	H@2/D13FEB15-FEB	HOM2D/13FEB-15FEB	2/DT-13FEB-15FEB	HOM2D/13FEB-4NT
Modify room type	HOM2R/1A1DCOR-2	H@2/R-A1KRAC	HOM4R/1A1KRAC-2	2/RT-A2D	HOM4R/1A1KRAC
Modify optional field	HOM3O/SI-NO SMOKING	H@2/CD-1234567	HOM2O/CD-1234567	2/CF-45678	HOM2O/CD-1234567
Cancel optional field	HOM3X/SI	H@3/SI-	HOM2X/SI	2/CF-	HOM3X/CD

Sell room

	Travelport+	Worldspan	Apollo HELP HOTEL-SELL (U.S.) or HELP HTL0 (CANADA)	Amadeus	Sabre
Reference sell hotel (with guarantee)	N1A2D3	H0/R-A1K/G-VI442780666666661EXP12/26	01A1KRAC1/G-VI4427806666666661EXP1226	HS1	01A1KRAC1/G-VI4427806666666661EXP1226
Reference sell from complete availability	N1B1DCOR	H0/R-A1K/G-CCVI442780666666661EXP1226	Inside Link 01A1K1RAC/G-VI442780666666661EXP1226 Inside Availability or Inside Shopper 01INSIDE3/G-VI442780666666661EXP1226	HS1	01A1K1RAC/G-VI442780666666661EXP1226



	Travelport+	Worldspan	Apollo HELP HOTEL- SELL (U.S.) or HELP HTL0 (CANADA)	Amadeus	Sabre
Direct sell	0HHLBWNN104J UN- 07JUN31762+A1 DCOR-2/	HNP- RA67765/2FE B 3FEB/R-A1K	0HHLRA2FEB- 3FEB67785 A1K-1	HSRAORDC AC 2FEB- 3FEB/RT- A1K	0HHL24393/2FEB- 3FEB/ 1A1KRAC
Passive sell Note: Format may vary due to accounti ng system.	0HTLJVMK1NYC 12OCT- OUT14OCT/H-50 BOWERY NYC/P-C1935/R- C1KPRO/ BC- C0HTLWVBK1LO N 14SEP- OUT17SEP/H-SO KINGS CROSS/P- D0773/R- C1SRAC/CF- 346520344	HN@MKCAK 8DEC- 9DEC1CAK/H -HOLIDAY INN MILL VALLEY/R- A1K/RT- US9900/CF- 1234567	OHTLZZBK1CA K8DEC-9DEC/ W-HOLIDAY INN MILL VALLEY3707 E ELM3CANTON3 OH 3949493216- 555-1111/CF- 1234567	11AHSEICA K799 8DEC- 9DEC/CF- 3229AB/RT- B2D/RQ- USD125.00	0HHTAAGK1CAKI N8DEC- OUT9DEC/HI- HOLIDAY INN/SGLB /60.00/G/SI*707 SI*E ELM+CANTON OH 94949+FONE216 555-1111 ³ /CF- 123456

Update availability request

	Travelport+	Worldspa n	Apollo HELP HOU	Amadeu s	Sabre
Location modifier	HOU/L-A	N/A	HOU/L-A	HA/AR-A	HOT/A
Property name modifier	HOU/N-PLAZA	HA/H- PLAZA	HOU/N- PLAZA	HA/HN- PLAZA	HOT/N-PLAZA
Transportation modifier	HOU/T-C	HL/T (Airport only)	HOU/T-C	N/A	HOT/H
Distance modifier	HOU/D-5MS	HL/DD-3S	HOU/D-3S	N/A	HOT/D-3S
Vendor modifier	HOU/HI.HY	HA/C-HI- HY	HOU/HI‡HY	HA/CO- HI‡HY	HOT/HI, HY
Features modifier	HOU/F- POO+MIN+HAIR	HL/AM-RS	HOU/F- HEA‡RES	HA/FF- SWI	HOT/L-BF



	Travelport+	Worldspan	Apollo HELP HOU	Amadeu s	Sabre
Rate range modifier	HOU/V+100	N/A	HOU/\$-100	HA/QU-100-150	HOT/RT-AAA
AAA rating modifier	HOU/AAA1 or HOU/AAA1-5	N/A	HOU/AAA4-5	N/A	HOT/R-100
Reference point modifier	HOU/R-OPRYLAND	N/A	HOU/R-OPRYLAND	N/A	HOTTN/OPRYLAND

Cars

Availability

	Travelport+	Worldspan	Apollo HELP CAR	Amadeus	Sabre
Request car availability	CAL/DT-1500 or CAL2/ARR-1045/DT-0900	CRA23AUG-25AUGDEN/ARR-1P/DT-6P	/ARR-1P/DT-6P	CADEN23AUG-25AUG/ARR-9A-9P	CFDEN/23AUG-25AUG/1P-6P
From PNR segment after segment 1	/1+CAL/ZI	CRAS1	/1±CAL	CAS1	CF1/2
Redisplay availability	CAL*R	CRA*	CAL*R	MPCM	CF*

Car description

	Travelport+	Worldspan	Apollo HELP CAD	Amadeu s	Sabre
From segment number 2	CADS2	CRDS2	CADS2	N/A	CP*2
From availability line 3	CAD3	CRD3	CAD3	N/A	CF*P1
For specific vendor and city	CADZEDEN	CRDMEX/CZD	CADZDMEX	CPZDMEX	CP*ZDMEX
Of makes and models	CADA8/CARS	CRDDEN/CZI*MAKES	CADZIDEN/CARS	N/A	CP*ALMIA/MAKES



	Travelport+	Worldspan	Apollo HELP CAD	Amadeu s	Sabre
	CADZIDEN/CARS				
Redisplay description	CAD*R	CRD*	CAD*R	N/A	CP*

Car index

	Travelport+	Worldspan	Apollo HELP CAI	Amadeus	Sabre
Of vendors by city	CAIDEN	CRDS2	CAIDEN	CLDEN	CARDEN
List of reference points by city	HORDEN	CRD3	HORDEN	N/A	N/A
Of vendors by reference point	CAICOLISEUM	CRDMEX/CZD	CAICNTOWER	N/A	N/A
Of vendor by reference point and distance	CAILON/R-BIG BEN/D-2	N/A	CAILON/R-BIG BEN/D-2	N/A	CQLZILON
Request availability from index line 2	CAL2/26AUG-28AUGDEN/ARR-0900/DT- 1600	CRA2/D6AUG8 AUG /ARR-9A/DT-9A	CAL2/23SEP-25SEP/ARR-9A/DT-3P	CAAB23SEP-2/ARR-0900- 1500	CF*2
Redisplay index	CAI*R	CRL*	CAI*R	N/A	CQ*O

Display car rate rules

	Travelport+	Worldspan	Apollo HELP CAV	Amadeus	Sabre
From segment number 2	CAVS2	CRDS2	CAVS2	RTSVCC2	CQ2ZISCAR/D
From availability	CAVA1	CRR1	CAVA1	CT3	CF*R1
For specific vendor and city	N/A	CRR*	CAV*R	N/A	N/A



Modify sold car segment

	Travelport+	Worldspan	Apollo HELP CAM	Amadeu s	Sabre
Modify dates segment 2	CAM2D/11DEC-18DEC	CR@2/D2SEP5SEP	CAM2D/2SEP-5SEP/ARR-9A	2/DT-2SEP-5SEP	CM2/PD-2SEP/RD-5DEC
Modify car type segment 4	CAM4T/CCAR	CR@4/VCCAR	CAM4T/CCAR	N/A	CM4/CT-SC
Modify optional fields segment 3	CAM3O/CD-1234567	CR@3/CD-1234567	CAM3O/CD-1234567	3/ID-1234567	CM3/CD-1234567
Cancel optional fields segment 2	CAM2X/CD	CR@2/CD-	CAM2X/CD	2/ID-	CM2/CD-

Sell car

	Travelport+	Worldspan	Apollo HELP CAM	Amadeus	Sabre
Reference sell from availability line 4	N1A4	CR04	0A2	CS4	0C2
Direct sell a car with flight segment and frequent flyer number	0CCRZENN1AMS1JUN-2JUNECMN/ARR-1100A/DT-1700/RC-ABCD	CRNS1@MK/D-2/CZI/VSCAR/ARR-9A	/1±0CARZISCAR/FT-UA1234567000	CSZIDEN3AUG-5AUG/VT-SCAR	0CARZINN1SAN5DEC-9DEC/SCAR/FT-UA00117004000
Passive sell a car	0CCRZEBK1JFK1MAR-4MARCCAR/ARR-1200/DT-1200/CD-750214/CF-123456	CRN@MKSAN1JAN4JAN/CZI/VSCAR/ARR-0900/DT-0900	0CARZIBK1SAN1JAN-4JANSCAR/CF-12345	CSZISAN1JAN-4JAN/VT-SCAR	0CARZIGK1SAN1JAN-4JAN/ICAR/CF-12345

Update availability request

	Travelport+	Worldspan	Apollo HELP CAU	Amadeus	Sabre
Car type modifier	CAU.I or CAU*T	CRAVLCAR	CAU.LCAR	N/A	CF*/LCAR



	Travelport+	Worldspan	Apollo HELP CAU	Amadeus	Sabre
Car vendor modifier	CAU/ZI	CR@/CZI†ZI	CAU/ZI†ZI	N/A	CF*-ZE
Currency modifier	CAU/VUSD	CRA/EUSD	CAU/\$USD	N/A	CF*+USD